	01				FLES NUMBI
			J.J.	ا باللع	وعنحب
A-670			企 水类类		
	THE CONTRACT OF THE CONTRACT O		Con	√ File/ // // // // // // // // // // //	
Date 1/15/45	A Proposition of the second		DI	To Rea	
Subject Routin	e Spills				ached
				Copy 1 J	E. Wirt
By O D. CC	"在我们就是不是一个人的。"			This document i	has been approved for
To J/E. Wi	rtn de			n.	
Before reading	this document, sign	and date b	elow	Maril R	ion Officer
		Data		Name:	Date
1000000	1/6/1	Date (7
	-/17	48			
	1.22	45			
为一种					
	WALL CARREST				
A CONTRACTOR OF THE PARTY OF TH		TENNESS.			
		THE PARTY OF THE P	。 中,特別等		202 44 45 55 5 \$15 5 10 5 5 1
1 19 19 19	(4) (1) (相位)(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		3.457	Carried States	
	The state of the s	7 30		PARTY LA	
				1220	
	my of the state of	N PA	I KAAN	FIFR	
			LASSI	FIEL	

CLASSIFICATION CHANGED TO:

BY AUTHORITY OF:

A C 1-24-57

RV.



CLINTON LABORATORIES

T. O. E. MILLON 2. R. L. Doan

3. W. C. Johnson

4. K. Z. Morgan

5. C. D. Coryeli

6. C. Files

7. R. Files

DEPARTMENT

To FROM J. E. Wirth

C. D. Coryell

DEPARTMENT

This document consists of.... pages and Oigures. No. Zopies, Series A

DATE 1/15/45

IN RE: Routine Spills.

> Several members of the Chemistry Division with personal experience in hot operations are of the opinion that the hot spill problem is fundamentally not different from that of the radiation exposure problem. Both should not occur but both do occur frequently enough to cause considerable worry and in inverse proportion to the efforts expended to minimize hazards and optimize housekeeping.

In general and particularly in 706-C or in the hands of conscientious men, spills are self-penalizing by virtue of the difficulty and unpleasantness of the cleanup. Unfortunately, personnel exposure is not attended by such obvious immediate unpleasant consequences. I, therefore, wish to recommend that a mechanism be set up to report the occurrence of spills involving more than one microcurie of artificially prepared radioactive material (with a corresponding value of, say, ten millimicrograms of Pu²³⁹). All spills of this magnitude occurring in 706-A, 706-B, 706-C, 105 or elsewhere on the plant should be reported to Health Physics in any case because of the hazard to instruments and personnel. The form should provide for description of the method of the cleanup used and the effectiveness of the procedure. The occurrence of a spill in a man's work should carry no more and no less stigma to him and his supervisor does the occurrence of a body exposure report.

If such a procedure should be instituted immediately, and be made fully effective, I anticipate that a great turmoil would occur but that this would be followed by a considerable improvement in technique and freedom from contention throughout the restricted area, and that all of us would benefit thereby.

C. D. Corvell

Johnson disignates. I hat person shall report to Health Physics, MI



